

## Modification of innate immunity in humans by active components of shark liver oil

Department of Clinical Immunology, Research Institute of Polish Mother's Memorial Hospital and Microbiology Center, Polish Academy of Sciences, Lodz

### **Abstract**

Fish oils affect different systemic reactions innate immunity including. Innate immunity is responsible for immediate pathogen recognition and inactivation. Innate immunity decides also on the type of required immunity development. In the presented paper we have proved that supportive treatment with shark oil components normalize complement level, natural killer cells activity and reactive oxygen intermediates production by peripheral blood leukocytes of peoples suffering from active form rheumatoid arthritis.

## Piśmiennictwo

1. Albert C.M., Hennekens C.H., O'Donnell C.J., Ajani U.A., Carey .J., Willett W.C., Ruskin J.N., Manson J.E., Fish consumption and risk of sudden cardiac death, *J. of the American Medical Association*, 1998, 279(1):23-28
2. Calder P., Dietary fatty acids and the immune system, *Nutrition Reviews*, 1998, 56(1):(II)S70-S83
3. Yaqoob P., Newsholme E.A., Calder P.C., Inhibition of natural killer cell activity by dietary lipids, *Immunol. Lett.* 1994, 41(2-3):241-7\
4. Angeles Puertollano M., Algarra I., Ortega E., de Pablo M.A., Alvarez de Cienfuegos G., Loss of natural killer cell activity after murine tumor transplantation appears as a consequence of dietary lipid administration, *Anticancer Res.* 2001, 21(4A):2697-702
5. Thies F., Nebe-von-Caron G., Powell J.R., Yaqoob P., Newsholme E.A., Calder P.C., Dietary supplementation with eicosapentaenoic acid, but not with other long-chain n-3 or n-6 polyunsaturated fatty acids, decreases natural killer cell activity in healthy subjects aged >55 y, *Am. J. Clin. Nutr.* 2001, 73(3):539-48
6. Kelley D.S., Modulation of human immune and inflammatory responses by dietary fatty acids, *Nutrition* 2001, 17(7-8):669-73
7. Ergas D., Eilat E., Mendlovic S., Sthoeger Z.M., n-3 fatty acids and the immune system in autoimmunity, *Isr. Med. Assoc.* 2002, 4(1):34-8
8. Arnett F.C., Edworthy S.M., Block D.J., Mc Shane D.J., Fries J.F., Cooper N.S. Healey L.A., Kaplan S.R., Liang M.H., Luthra H.S., Medsger T.A., Mitchell D.M., Neustadt D.H., Pinals R.S., Schaller J.G., Sharp J.T., Wilder R.L., Hunder G.G., Th eamercian rheumatism asociation 1987 revised eriterie for the classification of rheumatoid arthritis, *Arthritis Rheum.* 1988, 31:315-21
9. Banasik M., Fornalczyk-Wachowska E., Janaszkiwicz E., Zeman K., Wykorzystanie jednostopniowej metody izolacji wysoce oczyszczonych limfocytów i granulocytów z minimalnje ilości krwi obwodowej, *Diagn. Labor.* 1990, 26:194-197
10. Trinchierini G., Biology of natural killer cells, *Adv. Immunol.* 1989, 47:187-376
11. Henney C.S., Kuribayashi K., Kern D.E., and Gillis S., Interleukin-2 augments natural killer cell activity, *Nature* 1981, 291:335
12. Medhitov R., Janeway Jr C., Innate immunity recognition: mechanisms and pathways, *Immunological Rev.* 2000, 173:89-97
13. Feizi T., Carbohydrate-mediated recognition systems in innate immunity, *Immunological Rev.* 2000, 173:79-88
14. Tchórzewski H., Krasomski G., Biesiada L., Głowacka E., Banasik M., Lewkowicz P., IIL-12, IL-6 and IFN- $\gamma$  production by lymphocytes of pregnant women with rheumatoid arthritis remission during pregnancy, *Mediators of Inflammation* 2000, 9: 289-293
15. de Pablo M.A., Alvarez de Cienfuegos G., Modulatory effects of dietary lipids on immune system functions, *Immunol. Cell. Biol.* 2000, 78(1):31-9
16. Heyland D.K., Novak F., Drover J.W., Jain M., Su X., Suchner U., Should immunonutrition become routine in critically ill patients? A systematic review of the evidence, *JAMA* 2001, 286(8):944-53
17. Arrington J.L., Cahpkin R.S., Switzer K.C., Morris J.S., McMurray D.N., Dietary n-3 polyunsaturated fatty acids modulate purified murine T-cell subset activation, *Clin. Exp. Immunol.* 2001, 125(3):499-507
18. Grimm H., Kraus A., Immunonutrition - supplementary amino acids and fatty acids ameliorate immune deficiency in critically ill patients, *Langenbecks Arch. Surg.* 2001, 386(5):369-76